

# The Timing's Just Right!™

## Dysport \$75 Offer Rebate Redemption Form

### Tell us about you.

Last name	MI	First name
Address		Apt. No.
City	State	ZIP
Email (we may need to contact you about your submission)		
Signature		
I understand that by signing this form, Medicis Aesthetics Inc. ("Medicis") will use the information I have provided in this request form to communicate with me about products, programs, and services. Medicis may share information about me with service providers, government authorities or as required by law or legal process. Medicis will not sell my name or information. To be removed from this mailing list, I understand that I may call 800-328-9970.		

### Please give us your input!

When did you first notice results after your *Dysport* treatment?

---

How would you describe your results with *Dysport*?

---

### Healthcare Professional Info

(to be completed by healthcare professional)

Patient Name	
Date of Treatment	
Product Name	
Healthcare Professional Name	
Address	Suite No.
City	State ZIP
Phone	
Signature	

### Offer Terms and Conditions

This coupon may be applied to your purchase of *Dysport* at regular market price. This coupon is limited to a \$75 offer for one treatment received in a single visit with a maximum redemption of \$75. This offer is limited to one per person. You may use this voucher only if you paid for your entire treatment yourself and if no part of your treatment was covered by insurance or another third-party payor. You may not use this coupon if you received any treatment using a Medicis Aesthetics Inc. product that is reimbursed by Medicaid, Medicare, or other federal or state benefit programs, including state medical assistance programs. You may not use this coupon if your private insurance, HMO, or other health benefit program paid for all or part of your treatment. If any form of reimbursement is sought from a third-party, you may be required to disclose the value of this coupon to that party. To qualify for the offer you must receive treatment September 5, 2009, through December 31, 2009, then submit this completed The Timing's Just Right \$75 Offer Redemption Form with the Healthcare Professional Info portion completed by your practitioner. Medicis Aesthetics Inc. cannot accept credit card receipts when processing your redemption. The *Dysport* vial used in your treatment must be purchased legally in the U.S. Offer only valid September 5, 2009, through December 31, 2009. Submissions must be postmarked by January 15, 2010. By submitting this request, you agree to all the rules and conditions of this offer. Medicis Aesthetics Inc. reserves the right to cancel or modify this offer without notice. This offer is non-transferable. Fraudulent submissions could result in prosecution. Offer void where prohibited by law, taxed, or otherwise excluded. Offer only good in the U.S. Your check will be issued in U.S. dollars only. All requests become the property of Medicis Aesthetics Inc. and will not be returned. Medicis Aesthetics Inc. assumes no responsibility for lost, late, damaged, misdirected, misaddressed, incomplete or postage-due requests that fail to be properly delivered to the address stated for any reason. If you do not receive your check within 8 weeks after submission of your completed The Timing's Just Right \$75 Offer Redemption Form, please call toll free 800-328-9970. Please keep a copy for your records.

For a limited time only, you can receive a \$75 rebate on a *Dysport* treatment. Offer valid **September 5, 2009, through December 31, 2009.** Submissions must be postmarked by January 15, 2010. Certain restrictions apply. See Offer Terms and Conditions for details.

### How to receive your rebate.

Please complete your portion of the rebate form on this page and have your healthcare professional complete and sign the receipt portion after you have received your first treatment with *Dysport*. Then mail this completed form with your itemized treatment receipt (credit card receipts cannot be accepted) to this address:

ATTN: DEPT MA09-3007  
THE TIMING'S JUST RIGHT OFFER  
P.O. Box 472  
Scottsdale, AZ 85252-0472

Remember, this special offer expires December 31, 2009.

Please see Important Safety Information including Boxed Warning on next page and Medication Guide on pages 3-4.

Rx Only

**Dysport™**  
abobotulinumtoxinA  
300 Units for Injection

Prescription *Dysport* is an injection used to temporarily improve the look of moderate to severe frown lines between the eyebrows (glabellar lines) in adults less than 65 years of age.

## IMPORTANT SAFETY INFORMATION

### What is the most important information you should know about *Dysport*?

**Spread of Toxin Effects:** In some cases, the effects of *Dysport* and all botulinum toxin products may affect areas of the body away from the injection site. These effects can cause symptoms of a serious condition called botulism. Symptoms of botulism can happen hours to weeks after injection and may include swallowing and breathing problems, loss of strength and muscle weakness all over the body, double vision, blurred vision and drooping eyelids, hoarseness or change or loss of voice, trouble saying words clearly, or loss of bladder control.

Swallowing and breathing problems can be life threatening and there have been reports of death.

The risk of symptoms is probably greatest in children and adults treated for muscle spasms, particularly in those patients who have underlying medical conditions that could make these symptoms more likely.

The toxic effects have been reported at doses similar to those used to treat muscle spasms in the neck. Lower doses, in both approved and unapproved uses, have also caused toxic effects. This includes treatment of children and adults for muscle spasms.

These effects could make it unsafe for you to drive a car, operate machinery, or do other dangerous activities.

**The dose of *Dysport* is not the same as or interchangeable with the dose of any other botulinum toxin product. The dose of *Dysport* cannot be compared to the dose of any other botulinum toxin product you may have used.**

**Do not have *Dysport* treatment if you:** are allergic to *Dysport* or any of its ingredients (see the end of the Medication Guide for a list of ingredients), are allergic to cow's milk protein, had an allergic reaction to any other botulinum toxin product (such as Myobloc® or Botox®), or have a skin infection at the planned injection site.

***Dysport* may not be right for you if:** you have surgical changes to your face, very weak muscles in the treatment area, your face looks very different from side to side, the injection site is inflamed, you have droopy eyelids or sagging eyelid folds, deep facial scars, thick oily skin, or if your wrinkles can't be smoothed by spreading them apart.

**Tell your doctor about all your medical conditions, including if you have:** a disease that affects your muscles and nerves (such as amyotrophic lateral sclerosis [ALS or Lou Gehrig's disease], myasthenia gravis, or Lambert-Eaton syndrome), allergies to any botulinum toxin product, had any side effect from any botulinum toxin product in the past, a breathing problem (such as asthma or emphysema), swallowing problems, bleeding problems, diabetes, a slow heart beat or other problem with your heart rate or rhythm, plans to have surgery, had surgery on your face, weakness of your forehead muscles (such as trouble raising your eyebrows), drooping eyelids, or any other change in the way your face normally looks.

### Human Albumin

This product contains albumin taken from human plasma. Steps taken during donor screening and product manufacturing processes make the risk of spreading viral diseases extremely rare. In theory, there is also an extremely rare risk of contracting Creutzfeldt-Jakob disease (CJD). No cases of spread of viral diseases or CJD have ever been reported for albumin.

### Allergic Reaction to Injecting in the Skin

It is not known if an allergic reaction can be caused by injecting *Dysport* into the skin. The safety of treating excessive sweating with *Dysport* is not known.

### Common Side Effects

The most common side effects are nose and throat irritation, headache, injection site pain, injection site skin reaction, upper respiratory tract infection, eyelid swelling, eyelid drooping, sinus inflammation, and nausea.

**Tell your doctor about all the medicines you take,** including prescription and nonprescription medicines, vitamins and herbal and other natural products. Using *Dysport* with certain other medicines may cause serious side effects. **Do not start any new medicines while taking *Dysport* without talking to your doctor first.**

**Especially tell your doctor if you:** have received any other botulinum toxin product in the last four months, have received injections of botulinum toxin, such as Myobloc® (rimabotulinumtoxinB) or Botox® (onabotulinumtoxinA) in the past (be sure your doctor knows exactly which product you received), have recently received an antibiotic by injection, take muscle relaxants, take an allergy or cold medicine, or take a sleep medicine.

### Use In Specific Populations

*Dysport* should not be used in children or in women who are pregnant or breastfeeding.

See Medication Guide on pages 3–4.

Rx Only  
**Dysport**<sup>™</sup>  
abobotulinumtoxinA  
300 Units for Injection

**MEDICATION GUIDE**  
**DYSPO<sup>TM</sup>** (*DIS-port*)  
**(abobotulinumtoxinA)**  
**Injection**

Read the Medication Guide that comes with DYSPO<sup>TM</sup> before you start using it and each time DYSPO<sup>TM</sup> is given to you. There may be new information. This information does not take the place of talking with your doctor about your medical condition or your treatment. You should share this information with your family members and caregivers.

**What is the most important information I should know about DYSPO<sup>TM</sup>?**

**DYSPO<sup>TM</sup> may cause serious side effects that can be life threatening. Call your doctor or get medical help right away if you have any of these problems after treatment with DYSPO<sup>TM</sup>:**

- **Problems swallowing, speaking, or breathing.** These problems can happen hours to weeks after an injection of DYSPO<sup>TM</sup> usually because the muscles that you use to breathe and swallow can become weak after the injection. Death can happen as a complication if you have severe problems with swallowing or breathing after treatment with DYSPO<sup>TM</sup>.
- People with certain breathing problems may need to use muscles in their neck to help them breathe. These patients may be at greater risk for serious breathing problems with DYSPO<sup>TM</sup>.
- Swallowing problems may last for several weeks. People who can not swallow well may need a feeding tube to receive food and water. If swallowing problems are severe, food or liquids may go into your lungs. People who already have swallowing or breathing problems before receiving DYSPO<sup>TM</sup> have the highest risk of getting these problems.
- **Spread of toxin effects.** In some cases, the effect of botulinum toxin may affect areas of the body away from the injection site and cause symptoms of a serious condition called botulism. The symptoms of botulism include:
  - loss of strength and muscle weakness all over the body
  - double vision
  - blurred vision and drooping eyelids
  - hoarseness or change or loss of voice (dysphonia)
  - trouble saying words clearly (dysarthria)
  - loss of bladder control
  - trouble breathing
  - trouble swallowing

These symptoms can happen hours to weeks after you receive an injection of DYSPO<sup>TM</sup>.

These problems could make it unsafe for you to drive a car or do other dangerous activities. See “What should I avoid while receiving DYSPO<sup>TM</sup>?”.

**What is DYSPO<sup>TM</sup>?**

DYSPO<sup>TM</sup> is a prescription medicine that is injected into muscles and used:

- to treat the abnormal head position and neck pain that happens with cervical dystonia (CD) in adults
- to improve the look of moderate to severe frown lines between the eyebrows (glabellar lines) in adults younger than 65 years of age for a short period of time (temporary)

CD is caused by muscle spasms in the neck. These spasms cause abnormal position of the head and often neck pain. After DYSPO<sup>TM</sup> is injected into muscles, those muscles are weakened for up to 12 to 16 weeks or longer. This may help lessen your symptoms.

Frown lines (wrinkles) happen because the muscles that control facial expression are used often (muscle tightening over and over). After DYSPO<sup>TM</sup> is injected into the muscles that control facial expression, the medicine stops the tightening of these muscles for up to 4 months.

It is not known whether DYSPO<sup>TM</sup> is safe or effective in children under 18 years of age.

It is not known whether DYSPO<sup>TM</sup> is safe or effective for the treatment of other types of muscle spasms. It is not known whether DYSPO<sup>TM</sup> is safe or effective for the treatment of other wrinkles.

**Who should not take DYSPO<sup>TM</sup>?**

**Do not take DYSPO<sup>TM</sup> if you:**

- are allergic to DYSPO<sup>TM</sup> or any of the ingredients in DYSPO<sup>TM</sup>. See the end of this Medication Guide for a list of ingredients in DYSPO<sup>TM</sup>
- are allergic to cow’s milk protein
- had an allergic reaction to any other botulinum toxin product such as Myobloc<sup>®</sup>\* or Botox<sup>®</sup>\*
- have a skin infection at the planned injection site

**What should I tell my doctor before taking DYSPO<sup>TM</sup>?**

**Tell your doctor about all your medical conditions, including if you have:**

- a disease that affects your muscles and nerves (such as amyotrophic lateral sclerosis [ALS or Lou Gehrig’s disease], myasthenia gravis or Lambert-Eaton syndrome). See “What is the most important information I should know about DYSPO<sup>TM</sup>?”
- allergies to any botulinum toxin product
- had any side effect from any botulinum toxin product in the past
- a breathing problem, such as asthma or emphysema
- swallowing problems
- bleeding problems
- diabetes
- a slow heart beat or other problem with your heart rate or rhythm
- plans to have surgery
- had surgery on your face
- weakness of your forehead muscles (such as trouble raising your eyebrows)
- drooping eyelids
- any other change in the way your face normally looks

**Tell your doctor if you:**

- are pregnant or plan to become pregnant. It is not known if DYSPO<sup>TM</sup> can harm your unborn baby
- are breast-feeding or planning to breast-feed. It is not known if DYSPO<sup>TM</sup> passes into breast milk

**Tell your doctor about all the medicines you take**, including prescription and nonprescription medicines, vitamins and herbal and other natural products. Using DYSPO<sup>TM</sup> with certain other medicines may cause serious side effects. **Do not start any new medicines while taking DYSPO<sup>TM</sup> without talking to your doctor first.**

### **Especially tell your doctor if you:**

- have received any other botulinum toxin product in the last four months
- have received injections of botulinum toxin, such as Myobloc® (Botulinum Toxin Type B)\* or Botox® (Botulinum Toxin Type A)\* in the past; be sure your doctor knows exactly which product you received
- have recently received an antibiotic by injection
- take muscle relaxants
- take an allergy or cold medicine
- take a sleep medicine

### **Ask your doctor if you are not sure if your medicine is one that is listed above.**

Know the medicines you take. Keep a list of your medicines with you to show your doctor and pharmacist each time you get a new medicine.

### **How should I take DYSPORT™?**

- DYSPORT™ is an injection that your doctor will give you
- DYSPORT™ is injected into the affected muscles
- Your doctor may give you another dose of DYSPORT™ after 12 weeks or longer, if it is needed
- If you are being treated for CD, your doctor may change your dose of DYSPORT™ until you and your doctor find the best dose for you
- The dose of DYSPORT™ is not the same as the dose of any other botulinum toxin product

### **What should I avoid while taking DYSPORT™?**

DYSPORT™ may cause loss of strength or general muscle weakness, blurred vision, or drooping eyelids within hours to weeks of taking DYSPORT™. **If this happens, do not drive a car, operate machinery, or do other dangerous activities. See “What is the most important information I should know about DYSPORT™?”**

### **What are the possible side effects of DYSPORT™?**

**DYSPORT™ can cause serious side effects. See “What is the most important information I should know about DYSPORT™?”**

### **Other side effects of DYSPORT™ include:**

- dry mouth
- injection site discomfort or pain
- tiredness
- headache
- neck pain
- muscle pain
- eye problems: double vision, blurred vision, decreased eyesight, problems with focusing the eyes (accommodation), drooping eyelids, swelling of the eyelids
- allergic reactions. Symptoms of an allergic reaction to DYSPORT™ may include: itching, rash, red itchy welts, wheezing, asthma symptoms, or dizziness or feeling faint. Tell your doctor or get medical help right away if you get wheezing or asthma symptoms, or if you get dizzy or faint

**Tell your doctor if you have any side effect that bothers you or that does not go away. These are not all the possible side effects of DYSPORT™. For more information, ask your doctor or pharmacist.**

**Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.**

### **General information about DYSPORT™:**

Medicines are sometimes prescribed for purposes other than those listed in a Medication Guide.

This Medication Guide summarizes the most important information about DYSPORT™. If you would like more information, talk with your doctor. You can ask your doctor or pharmacist for information about DYSPORT™ that is written for healthcare professionals. For more information about DYSPORT™ call 877-397-7671 or go to [www.dysport.com](http://www.dysport.com) or [www.DysportUSA.com](http://www.DysportUSA.com).

### **What are the ingredients in DYSPORT™?**

Active ingredient: (botulinum toxin Type A)

Inactive ingredients: human albumin, and lactose. DYSPORT™ may contain cow's milk protein.

Issued May 2009

This Medication Guide has been approved by the U.S. Food and Drug Administration.

Distributed by:

Tercica, Inc.

a subsidiary of the Ipsen Group

Brisbane, CA 94005

and

Medicis Aesthetics Inc.,

a wholly owned subsidiary of Medicis Pharmaceutical Corporation  
Scottsdale, AZ 85256

\* All trademarks are the property of their respective owners